


Piede in Inox

Caratteristiche: BASE Ø 85, STELO SNODATO 8°


Features: BASE Ø 85, 8° ARTICULATED STEM



CODICE - CODE		descrizione description	DIMENSIONI PRINCIPALI - MAIN DIMENSIONS							CARICO STATICO STATIC LOAD NEWTON
FORI	SENZA FORI		S	B	D		F	G	H	
15688	15688/NF	M16X100	3	100	85	13	M16	13	125	15000
15690	15690/NF	M16X150	3	150	85	13	M16	13	175	15000
15692	15692/NF	M16X175	3	175	85	13	M16	13	200	15000
15694	15694/NF	M20X100	3	100	85	17	M20	13	125	15000
15696	15696/NF	M20X150	3	150	85	17	M20	13	175	15000
15698	15698/NF	M20X200	3	200	85	17	M20	13	225	15000

Caratteristiche: BASE VULCANIZZATA Ø 85 CON 2 FORI, STELO SNODATO 8°

Features: VULCANIZED BASE Ø 85 WITH 2 BORES, 8° ARTICULATED STEM



CODICE - CODE		descrizione description	DIMENSIONI PRINCIPALI - MAIN DIMENSIONS							CARICO STATICO STATIC LOAD NEWTON
			S	B	D		F	G	H	
15688/V		M16X100	8	100	85	13	M16	16	128	15000
15690/V		M16X150	8	150	85	13	M16	16	178	15000
15692/V		M16X175	8	175	85	13	M16	16	203	15000
15694/V		M20X100	8	100	85	17	M20	16	128	15000
15696/V		M20X150	8	150	85	17	M20	16	178	15000
15698/V		M20X200	8	200	85	17	M20	16	228	15000

- Base stampata in acciaio inox AISI 304. Stelo acciaio inox AISI 304. Su richiesta l'elemento di livellamento viene fornito con dado in acciaio
- Gomma NBR 80 shore

- Material: stainless steel base 1.4301. Stainless steel screw 1.4301. The levelling element could be supplied with steel nut.
- Vulcanized rubber pad NBR 80 shore

Sie haben Fragen? Kontaktieren Sie uns:
Do you need support? Contact us:

+49 (0) 7181 980 32 00

info@movet.eu

www.movet.eu